REPORT - HIPAA 834 to SSPS mapped fields only

Loop	SegID	HIPAA Name	DT	Req	File	Field	DT	Comment	CommentType
		Benefit Enrollment and Maintenance							
	ST	Transaction Set Header		R					
	ST 01	Transaction Set Identifier Code	ID3	R				Hard code "834"	Translation
	ST 02	Transaction Set Control Number	AN9	R				Generate unique ID for each ST-SE in a batch.	Translation
	BGN	Beginning Segment		R					
	BGN01	Transaction Set Purpose Code	ID2	R				Hard code "00"	Translation
	BGN02	Transaction Set Identifier Code	AN30	R				Verify this is a sequence number that begins with 1 and increments by 1.	Translation
	BGN03	Transaction Set Creation Date	DT8	R				Generate current system date	Translation
	BGN04	Transaction Set Creation Time	TM8	R				Generate current system time	Translation
	BGN08	Action Code	ID2	R				MMIS will use Full Enrollment Only (Code Value = 4). Will SSPS use the same policy?	System Questions
	REF	Transaction Set Policy Number		s					
	DTP	File Effective Date		S					
1000A	N 1	Sponsor Name		R					
1000A	N 1	Sponsor Name		R					

Loop	SegID	HIPAA Name	DT	Req	File	Field	DT	Comment	CommentType
1000A	N 102	Plan Sponsor Name	AN60	S	SSPS- Enrollment- RptUnit	Reporting_Unit_Title	char(24)		
1000A	N 103	Identification Code Qualifier	ID2	R				"FI"-Federal tax ID	Translation
1000A	N 104	Sponsor Identifier	AN80	R				Federal Tax ID that identifies SSPS sponsor	HIPAA Required
1000B	N 1	Payer		R					
1000B	N 1	Payer		R					
1000B	N 101	Entity Identifier Code	ID3	R				Hard code "IN"-insurer	Translation
1000B	N 103	Identification Code Qualifier	ID2	R				"FI"-Federal tax ID or "XV"-National Plan ID	Translation
1000B	N 104	Insurer Identification Code	AN80	R				Tax ID or Plan ID of "payer".	HIPAA Required
1000C	N 1	TPA/Broker Name		S					
1000C	N 1	TPA/Broker Name		S					
1100C	ACT	TPA/Broker Account Information		S					
1100C	ACT	TPA/Broker Account Information		S					
2000	INS	Member Level Detail		R					
2000	INS	Member Level Detail		R					
2000	INS01	Insured Indicator	ID1	R				Will always be "Y" if subscriber is patient.	Translation
2000	INS02	Individual Relationship Code	ID2	R				Hard code "18"-insured is subscriber	Translation
2000	INS03	Maintenance Type Code	ID3	R				Hard code "030"-Audit or Compare, for full roster	Translation
2000	INS04	Maintenance Reason Code	ID3	S				Hard code "XN"-Notification only	Translation

Loop	SegID	HIPAA Name	DT	Req	File	Field	DT	Comment	CommentType
2000	INS05	Benefit Status Code	ID1	R				Hard code "A"-Active	Translation
2000	INS08	Employment Status Code	ID2	S				Hard code "FT"-full time recipient	Translation
2000	INS10	Handicap Indicator	ID1	S				Where is this captured in SSPS?	System Questions
2000	INS12	Insured Individual Death Date	AN35	S				How are deaths managed in SSPS?	System Questions
2000	REF	Subscriber Number		R					
2000	REF01	Reference Identification Qualifier	ID3	R				Hard code "0F"-subscriber number	Translation
2000	REF02	Subscriber Identifier	AN30	R	SSPS- Enrollment- AuthMain	Authorization_number	char(7)		
2000	REF02	Subscriber Identifier	AN30	R	SSPS- Enrollment- AuthMain	Authorization_Suffix	char(2)		
2000	REF	Member Policy Number		S					
2000	REF	Member Identification Number		S					
2000	REF01	Reference Identification Qualifier	ID3	R				Use "F6" with HIC, use "3H" with case number, use "DX" with CSO number, "23" with client's PIC.	Translation
2000	REF02	Subscriber Supplemental Identifier	AN30	R				Does SSPS store any of these IDs?	System Questions
2000	REF	Prior Coverage Months		S					
2000	REF02	Prior Coverage Month Count	AN30	R				Must maintain number of prior months covered, for Certificate of Creditable Coverage	HIPAA Required
2000	DTP	Member Level Dates		S					
2000	DTP01	Date Time Qualifier	ID3	R				Send "473" with recip-elig-beg-date; send "474" with recip-elig-end-date	Translation

Loop	SegID	HIPAA Name	DT	Req	File	Field	DT	Comment	CommentType
2000	DTP03	Status Information Effective Date	AN35	R	SSPS- Enrollment- AuthMain	Authortization_Date	datetim e		
2100A	NM1	Member Name		R					
2100A	NM1	Member Name		R					
2100A	NM101	Entity Identifier Code	ID3	R				Hard code "IL"-insured	Translation
2100A	NM102	Entity Type Qualifier	ID1	R				"1"-person	Translation
2100A	NM103	Subscriber Last Name	AN35	R	SSPS- Enrollment- AuthMain	P_R_Name	char(6)		
2100A	NM104	Subscriber First Name	AN25	R	SSPS- Enrollment- AuthMain	P_R_Name	char(6)		
2100A	NM105	Subscriber Middle Name	AN25	S	SSPS- Enrollment- AuthMain	P_R_Name	char(6)		
2100A	NM108	Identification Code Qualifier	ID2	S				Hard code "34", until NII used	Translation
2100A	NM109	Subscriber Identifier	AN80	S	SSPS- Enrollment- AuthMain	Social_Security_Number	char(9)		
2100A	PER	Member Communications Numbers		S					
2100A	N 3	Member Residence Street Address		s					
2100A	N 4	Member Residence City, State, ZIP Code		s					
2100A	DMG	Member Demographics		S					

Loop	SegID	HIPAA Name	DT	Req	File	Field	DT	Comment	CommentType
2100A	DMG02	Member Birth Date	AN35	R	SSPS- Enrollment- AuthMain	P_R_birth_date	datetim e		
2100A	DMG03	Gender Code	ID1	R				If DOB is sent, gender must be sent also. Which field?	System Questions
2100A	ICM	Member Income		s					
2100A	AMT	Member Policy Amounts		s					
2100A	HLH	Member Health Information		s					
2100A	HLH01	Health Related Code	ID1	S				Required if avail: "S"-substance abuse, "T"-tobacco use.	Translation
2100A	HLH02	Member Height	R8	S				Required if available	Translation
2100A	HLH03	Member Weight	R10	S				Required if available	Translation
2100A	LUI	Member Language		S					
2100B	NM1	Incorrect Member Name		S					
2100B	NM1	Incorrect Member Name		S					
2100B	DMG	Incorrect Member Demographics		S				Required if DOB or gender change.	Translation
2100C	NM1	Member Mailing Address		S					
2100C	NM1	Member Mailing Address		S					
2100C	N 3	Member Mail Street Address		S					
2100C	N 4	Member Mail City, State, Zip		s					
2100D	NM1	Member Employer		s					
2100D	NM1	Member Employer		S					

Loop	SegID	HIPAA Name	DT	Req	File	Field	DT	Comment	CommentType
2100D	PER	Member Employer Communications Numbers		S					
2100D	N 3	Member Employer Street Address		S					
2100D	N 4	Member Employer City, State, Zip		S					
2100E	NM1	Member School		s					
2100E	NM1	Member School		S					
2100E	PER	Member School Commmunications Numbers		S					
2100E	N 3	Member School Street Address		S					
2100E	N 4	Member School City, State, Zip		S					
2100F	NM1	Custodial Parent		S				Does SSPS have HOH-head of household info?	System Questions
2100F	NM1	Custodial Parent		S					
2100F	PER	Custodial Parent Communications Numbers		S					
2100F	N 3	Custodial Parent Street Address		S					
2100F	N 4	Custodial Parent City, State, Zip		S					
2100G	NM1	Responsible Person		S					
2100G	NM1	Responsible Person		S					

Loop	SegID	HIPAA Name	DT	Req	File	Field	DT	Comment	CommentType
2100G	PER	Responsible Person Communications Numbers		S					
2100G	N 3	Responsible Person Street Address		S					
2100G	N 4	Responsible Person City, State, Zip		s					
2200	DSB	Disability Information		S					
2200	DSB	Disability Information		s					
2200	DTP	Disability Eligibility Dates		S					
2300	HD	Health Coverage		S					
2300	HD	Health Coverage		S					
2300	HD 01	Maintenance Type Code	ID3	R				Hard code "030"-audit or compare	Translation
2300	HD 03	Insurance Line Code	ID3	R				Need to select pertinent coverage type codes from HIPAA standard codes, p. 129.	HIPAA Required
2300	DTP	Health Coverage Dates		R					
2300	DTP01	Date Time Qualifier	ID3	R				Send "473" with recip-elig-beg-date; send "474" with recip-elig-end-date	Translation
2300	DTP03	Coverage Period	AN35	R	SSPS- Enrollment- AuthSvc	Service_Begin_Date	datetim e		
2300	DTP03	Coverage Period	AN35	R	SSPS- Enrollment- AuthSvc	Service_EndDate	datetim e		
2300	AMT	Health Coverage Policy		S					
2300	REF	Health Coverage Policy Number		s					

Loop	SegID	HIPAA Name	DT	Req	File	Field	DT	Comment	CommentType
2300	IDC	Identification Card		s					
2310	LX	Provider Information		S				This provider loop is only used for the client's primary health care providers. Do not use this loop for social service providers; send provider detail in 278.	Translation
2310	LX	Provider Information		S					
2310	LX 01	Assigned Number	N06	R				Generate a sequential number "1", "2", etc. for one or more providers assigned to this client.	Translation
2310	NM1	Provider Name		R					
2310	NM103	Provider Last or Organization Name	AN35	S	SSPS- Enrollment- ProvMain	Vendor_Name	char(25)		
2310	NM104	Provider First Name	AN25	S	SSPS- Enrollment- ProvMain	Vendor_Name	char(25)		
2310	NM105	Provider Middle Name	AN25	S	SSPS- Enrollment- ProvMain	Vendor_Name	char(25)		
2310	NM109	Provider Identifier	AN80	S	SSPS- Enrollment- ProvMain	Provider_Number	char(6)		
2310	N 4	Provider City, State, ZIP Code		s					
2310	N 402	Member State Code	ID2	R	SSPS- Enrollment- ProvMain	Vendor_State	char(2)		
2310	N 403	Member Postal Zone or Zip Code	ID15	R	SSPS- Enrollment- ProvMain	Vendor_Zip	char(5)		

Loop	SegID	HIPAA Name	DT	Req	File	Field	DT	Comment	CommentType
2310	PER	Provider Communications Numbers		S					
2310	PER01	Contact Function Code	ID2	R				Will Always be "IC"	Translation
2310	PER04	Communication Number	AN80	R	SSPS- Enrollment- ProvMain	Provider_Phone_Area_ Code	char(3)		
2310	PER04	Communication Number	AN80	R	SSPS- Enrollment- ProvMain	Provider_Phone_Numbe r	char(7)		
2310	PLA	PCP Change Reason		S					
2320	СОВ	Coordination of Benefits		S					
2320	СОВ	Coordination of Benefits		S					
2320	REF	Additional Coordination of Benefits Identifiers		S					
2320	N 1	Other Insurance Company Name		S					
2320	DTP	Coordination of Benefits Eligibility Dates		S					
2320	SE	Transaction Set Trailer		R					
2320	SE 02	Transaction Set Control Number	AN9	R				Important for error checking	Translation

Comment Type Legend:

Column Heading Legend: "DT" = Data Type

Case Management = "Nice to Have" fields for case reviewers.

Electronic COB = If we do electronic COB, these fields will be needed.

HIPAA Questions = Questions about interpreting the HIPAA Implementation Guides.

HIPAA Required = Required fields in HIPAA that don't seem to be in the legacy system.

Map Codes = Need to crosswalk local codes to standard codes.

Match Back = Fields received on an incoming transaction that must be returned in the response.

Nice to Have = Optional fields that are useful for other reasons.

Policy Issues = Decisions to be made by system experts.

Processing Logic = Logic that needs to be built into either the front end or MMIS.

System Questions = Questions about the legacy systems.

Translation = Only use to program translations.

COBOL Data Types Legend:

X(n) - Character data with length of n bytes

9(n) - Integer data with length of n bytes

S9(n) - Signed integer data with length of n bytes

9(n)V99 or 9(n)V9(2) - Numeric data with n decimal digits before the decimal point and 2 decimal digits after the decimal point

S9(n)V99 or S9(n)V9(2) - Signed numeric data with n decimal digits before the decimal point and 2 decimal digits after the decimal point

HIPAA Data Types Legend:

ANn - Free text with length of n bytes

IDn - Coded value with length of n bytes

Nn - Numeric data with length of n bytes

Rn - Real data with length of n bytes

DT8 - Date expressed as CCYYMMDD

TM8 - Time expressed as HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds ((00-99))